

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	@ad<"20040227" and "725"/\$.cls. and (bandwidth with uplink with (fingerprint\$3 or identify\$3 or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 08:10
L4	12	@ad<"20040227" and (bandwidth with uplink with (fingerprint\$3 or identify\$3 or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 08:10
L5	0	@ad<"20040227" and (bandwidth with uplink with (fingerprint\$3 or identify\$3 or identification or analysis or analyz\$3) with (image or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 08:14
L6	122	@ad<"20040227" and ((fingerprint\$3 or identify \$3 or identification or analysis or analyz\$3) with (image or video or audio)) same (bandwidth with (adjust\$3 or chang \$3 or modify\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 08:15
L7	8	@ad<"20040227" and ((fingerprint\$3 or identify \$3 or identification or analysis or analyz\$3) with (image or video or audio)) same (bandwidth with (adjust\$3 or chang \$3 or modify\$3) with algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 08:16
S1	128	@ad<"20040227" and "725"/\$.cls. and (fingerprint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 10:04

S2	8	@ad<"20040227" and "725"/\$.ccls. and ((video or audio) adj fingerprint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 10:04
S3	26	@ad<"20040227" and "725"/\$.ccls. and (fingerprint near3 (scan \$4 or analysis or analyz \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 10:07
S4	0	@ad<"20040227" and "725"/\$.ccls. and (fingerprint with algorithm with headend)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:19
S5	4	@ad<"20040227" and "725"/\$.ccls. and (fingerprint with algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:19
S6	1207	@ad<"20040227" and (fingerprint with algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:21
S7	0	@ad<"20040227" and (fingerprint with algorithm with modifying with health with receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:22
S8	0	@ad<"20040227" and (fingerprint with algorithm with modifying with health with receiv \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:22
S9	0	@ad<"20040227" and (fingerprint with algorithm with modifying with receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:22

S10	1	@ad<"20040227" and (fingerprint with algorithm with chang\$3 with receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:22
S11	0	@ad<"20040227" and (fingerprint with algorithm with download \$3 with receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:23
S12	9	@ad<"20040227" and (fingerprint with algorithm with download \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:23
S13	25	@ad<"20040227" and (hash\$3 with algorithm with download\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:25
S14	2	@ad<"20040227" and ((hash\$3 with algorithm with download\$3) same updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:25
S15	9	@ad<"20040227" and (fingerprint\$3 with algorithm with download \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:26
S16	3	@ad<"20040227" and (fingerprint\$3 near3 algorithm) and (download \$3 near3 algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:28
S17	48	@ad<"20040227" and (fingerprint\$3 with (image or video or audio)) and (download\$3 near3 algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:29

S18	1	@ad<"20040227" and (fingerprint\$3 with (image or video or audio)) and (download\$3 near\$ algorithm with receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:30
S19	3	@ad<"20040227" and (fingerprint\$3 with (image or video or audio)) and (download\$3 with algorithm with receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:30
S20	0	@ad<"20040227" and ((fingerprint\$3 or identifier) with (image or video or audio)) and (download\$3 with algorithm with updat\$3 with (determin\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:32
S21	12	@ad<"20040227" and ((fingerprint\$3 or identifier) with (image or video or audio)) and (download\$3 with algorithm with (determin\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:32
S22	36	@ad<"20040227" and "725"/\$.ccls. and (algorithm with determin\$3 with (characteristic or parameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:39
S23	0	@ad<"20040227" and "725"/\$.ccls. and (algorithm with determin\$3 with (characteristic or parameter)) and fingerprint\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:40
S24	26	@ad<"20040227" and "725"/\$.ccls. and (algorithm with determin\$3 with (characteristic or parameter)) and (identification of identify\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:40

S25	9	@ad<"20040227" and "725"/\$.ccls. and (algorithm with determin\$3 with (characteristic or parameter)) and ((identification of identify\$3) with (image or frame or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 17:41
S26	9	@ad<"20040227" and "725"/\$.ccls. and (algorithm with determin\$3 with (network or transmission) with (delay or health)) and ((identification of identify\$3) with (image or frame or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:07
S27	0	@ad<"20040227" and "725"/\$.ccls. and ((fingerprint\$3 or identification or identify\$3) with algorithm with determin\$3 with (network or transmission) with (delay or health))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:09
S28	5	@ad<"20040227" and ((fingerprint\$3 or identification or identify\$3) with algorithm with determin\$3 with (network or transmission) with (delay or health))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:10
S29	13	@ad<"20040227" and ((fingerprint\$3 or identification or identify\$3) with algorithm with determin\$3 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:11
S30	13	S29 not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:11

S31	0	@ad<"20040227" and ((fingerprint\$3 or identification or identify \$3) with algorithm with determin\$3 with bandwidth with (image or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:11
S32	7	@ad<"20040227" and ((fingerprint\$3 or identification or identify \$3) with algorithm with bandwidth with (image or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:12
S33	291	@ad<"20040227" and ((fingerprint\$3 or identification or identify \$3) with bandwidth with (image or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:15
S34	30	@ad<"20040227" and "725"/\$.ccls. and ((fingerprint\$3 or identification or identify \$3) with bandwidth with (image or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:15
S35	0	@ad<"20040227" and ((fingerprint\$3 or identification or identify \$3) with bandwidth with (image or video or audio) with (uplink or (return adj path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:17
S36	1	@ad<"20040227" and ((fingerprint\$3 or identification or identify \$3) with (bandwidth or health or delay or vibration or variation) with (image or video or audio) with (uplink or (return adj path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:17
S37	7	@ad<"20040227" and (fingerprint\$3 with (bandwidth or delay or health) with (algorithm or protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 18:19

S38	0	@ad<"20040227" and "725"/\$.ccls. and (fingerprint with (send\$3 or transmitting) with headend with (match\$3 or verify\$3 or verification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:45
S39	0	@ad<"20040227" and "725"/\$.ccls. and (fingerprint with (send\$3 or transmitting) with (headend or server) with (match\$3 or verify\$3 or verification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:45
S40	4	@ad<"20040227" and "725"/\$.ccls. and (fingerprint with (headend or server) with (match\$3 or verify\$3 or verification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:45
S41	0	@ad<"20040227" and "725"/\$.ccls. and (fingerprint with periodically with updat\$3 with (process or algorithm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:49
S42	0	@ad<"20040227" and (fingerprint with periodically with updat\$3 with (process or algorithm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:49
S43	0	@ad<"20040227" and (fingerprint with (periodically or interval) with updat\$3 with (process or algorithm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:49
S44	0	@ad<"20040227" and (fingerprint\$3 with (periodically or interval) with updat\$3 with (process or algorithm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:50
S45	39	@ad<"20040227" and (fingerprint\$3 with (periodically or interval) with (process or algorithm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:50

S46	0	@ad<"20040227" and "725"/\$.ccls. and (fingerprint\$3 with (periodically or interval) with (process or algorithm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:50
S47	0	@ad<"20040227" and "725"/\$.ccls. and (fingerprint\$3 with (periodically or interval) with (process or algorithm) with download \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:50
S48	0	@ad<"20040227" and (fingerprint\$3 with (periodically or interval) with (process or algorithm) with download \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:51
S49	0	@ad<"20040227" and (fingerprint\$3 with (periodically or interval) with (process or algorithm) with updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:51
S50	1	@ad<"20040227" and (fingerprint\$3 with (periodically or interval) with (process or algorithm) with (chang\$3 or modify\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:51
S51	11	@ad<"20040227" and (fingerprint\$3 with (periodically or interval) with (process or algorithm) with (image or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:52
S52	3849	@ad<"20040227" and ((periodically or interval) with (process or algorithm) with (image or video or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:53
S53	0	@ad<"20040227" and ((periodically or interval) with (process or algorithm) with (image or video or audio) with (updat\$3) with download \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:53



S54	4	@ad<"20040227" and ((periodically or interval) with (process or algorithm) with (image or video or audio) with download\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:54
S55	95	@ad<"20040227" and ((periodically or interval) with (process or algorithm) with (image or video or audio) with (updat\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:55
S56	7	@ad<"20040227" and ((periodically or interval) with algorithm with (image or video or audio) with (updat\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:56
S57	0	@ad<"20040227" and ((periodically or interval) with check\$3 with algorithm with (image or video or audio) with (updat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:58
S58	13	@ad<"20040227" and ((periodically or interval) with check\$3 with algorithm with (updat \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:58
S59	0	@ad<"20040227" and "725"/\$.cls. and ((periodically or interval) with check\$3 with algorithm with (updat \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:58
S60	3	@ad<"20040227" and "725"/\$.cls. and ((periodically or interval) with check\$3 with algorithm )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 20:59
S61	0	@ad<"20040227" and "725"/\$.cls. and ((periodically or interval) with check\$3 with software with (updat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:03

S62	41	@ad<"20040227" and "725"/\$.ccls. and ((periodically or interval) with check\$3 with (updat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:07
S63	46	@ad<"20040227" and "725"/\$.ccls. and ((periodic\$4 or interval) with check\$3 with (updat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:07
S64	2	@ad<"20040227" and "725"/\$.ccls. and ((periodic\$4 or interval) with check\$3 with (updat\$3) with (software or firmware))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:07
S65	32	@ad<"20040227" and "725"/\$.ccls. and ((periodic\$4 or interval) with (updat\$3) with (software or firmware))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:19
S66	30	S65 not S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:19
S67	1	@ad<"20040227" and "725"/\$.ccls. and ((updat\$3) with (software or firmware) with MPEG\$3 with (stream or ES))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:25
S68	20	@ad<"20040227" and "725"/19.ccls. and (audio with video with (signature or fingerprint \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:32
S69	6	@ad<"20040227" and "725"/19.ccls. and (audio with video with (signature or fingerprint \$3) with (creat\$3 or generat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:37

S70	17	@ad<"20040227" and "725"/\$.ccls. and ((period or periodic\$4 or interval) with (check\$3 or measur\$3) with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:46
S71	0	@ad<"20040227" and "725"/\$.ccls. and ((period or periodic\$4 or interval) with (check\$3 or measur\$3) with bandwidth with (transmit \$4 or send\$3) with headend)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:50
S72	1	@ad<"20040227" and "725"/\$.ccls. and ((period or periodic\$4 or interval) with (check\$3 or measur\$3) with bandwidth with (transmit \$4 or send\$3) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:50
S73	1	@ad<"20040227" and "725"/\$.ccls. and ((period or periodic\$4 or interval) with (determin \$3 or check\$3 or measur \$3) with bandwidth with (transmit\$4 or send\$3) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:52
S74	14	@ad<"20040227" and "725"/\$.ccls. and ((period or periodic\$4 or interval) with (determin \$3 or check\$3 or measur \$3) with bandwidth with (transmit\$4 or send\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:52
S75	4	@ad<"20040227" and "725"/\$.ccls. and ((period or periodic\$4 or interval) with (determin \$3 or check\$3 or measur \$3) with bandwidth with (upstream))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/23 21:53

4/ 24/ 2008 9:44:41 AM

C:\ Documents and Settings\jshepard\ My Documents\ EAST\ Workspaces  
\ fingerprint\_10788838.wsp